

HOTEL SUPPLIES

YirouFang Textile Manufacture Co.,Ltd.



Visit Factory

360° VR panoramas we provide

The logo for YRF Hotel Supply, featuring the letters 'YRF' in a large, bold, teal font, with 'HOTEL SUPPLY' in a smaller, teal font directly below it. The logo is centered within a white circular frame that has a thin grey border. This frame is set against a background of four vertical stripes in blue, teal, orange, and red from left to right.

YRF
HOTEL SUPPLY

<http://www.yrftextile.com>


Email: info@yrftextile.com

Product Description

LINEN FABRIC ZEBRA BLINDS

Thickening fabric Quality upgrading

Environment Friendly Thicken Fabric



Product Display

Scene display



Imitation Linen thickening fabric, New upgrade
Health environmental protection

Apply to bedroom, free adjustment light, warm in winter and cool in summer



Suitable for bathroom, thickened fabric, waterproof and anti mildew



Internal structure decomposition diagram

Suitable For Living Room, Light Translucent, Air Circulation
Filtering UV light, give you a soft environment; good air permeability, ventilation



Suitable For Kitchen, Double Layer Yarn

Quality thicken fabric, waterproof, good helper for home decoration

Light Regulation





Adjust for shading rate



Ventilation



UV light Filtration



Shading Display



Full Shade




Half Shade

Fabric Details



Double layer fabric design, Free adjustment of shading rate



A 3D cutaway diagram of a multi-layered material structure. The top layer is a thin, translucent mesh. Below it is a thicker, textured layer with a wood-grain pattern. Underneath that is a dark, solid black layer. The bottom layer is a thin, translucent mesh. A central section of the material is folded back, revealing the internal layers. Three labels on the left point to specific layers: 'High precision shading layer' points to the top mesh, 'High shading black layer' points to the dark layer, and 'Smooth glass yarn layer' points to the bottom mesh.


High precision shading layer

High shading black layer

Smooth glass yarn layer


DETAILS

More details



Eco-friendly POM Bead


EU quality, environmental health
Pull smooth





Thicken Linen Fabric

Better for light shading



Small Caliber Bottom Bar

The fabric is more fit
Increase the light shading rate



Color Options

Multicolor optional



E601



E602



603



E604



E605



E606



Product Description

Product information

Product: Imitation linen zebra blinds

Color: 6 colors

Fabric: Environmental protection fabric

Fabric type: Double layer yarn

Top Track: Aluminum alloy

Bottom Rod: Aluminum alloy

Customized Size: Width range 40-185cm, Maximum Height 280cm

Multicolor Optional

A variety of colors suitable for different decoration style




COLOUR.

Measure & Installation

Accessories

Packing parts



Accessories:

Installation Brackets x2

Plastic expansion plug x2

Iron galvanized x2

Measurement

Measure install

- Measurement and Installation Method -

METHOD OF MEASURING INSTALLATION

01. Outside mount / Inside mount

Please confirm the installation method before measurement



^ - Outside Mount -



^ - Inside Mount -



Inside Open

Outside Mount Only



Outside Open

Inside or Outside Mount




Side Open

Inside or Outside Mount

02.

How to Measure ● ● ●



Tips: window depth (D) at least 6cm

— Customized Size:

Width Range 20~180cm

Max Height 180cm

— Outside Mount:

Roller blinds width=window width+20cm

Roller Blinds height=window height+20cm

— Inside Mount:

Roller blinds width=window width-1 cm


Roller Blinds height=window height



Please be note: Roller blinds width=Fabric width+3cm

The width of the curtain is include the brackets width

03. Installation Ways



01. Measure the installation position, mark on the wall



02. Drilling on the wall



03. Plug the expansion screw into holes



04. Fix the installation code on the switch head



05. Fix the installation code on the wall



06. Fix inside end first and then lift the outside end to hold it



07. Hear a clicking sound, installation is successful



08. Installation Success



E604



E606



G02-001



G02-002



G02-003





G02-004

YRF
YRFTEXTILE.COM



G02-005



G02-006